

CERTIFICATE OF ANALYSIS

Project: CBD **Customer ID:** 54755766 **Harvest/Extract Lot:** GP2121
Order ID: 2019000605 **Customer Name:** CBD Plus USA **Harvest/Extract Date:** 03/05/2019
Cultivar (Strain): BS SL (1000mg) **Lab ID:** 2019002212 **Sample Matrix:** Oil/Tincture
Sample Date: 03/07/2019 **Date Received:** 03/07/2019 **Date Completed:** 03/08/2019

Remarks:


Analysis Date/Time: 03-08-2019 1038 **Method:** HPLC/UV **Moisture Content (%):** -
Analyst: KWF **Instrument:** Agilent 1100 **Water Activity (aw):** - at - °C

<u>Cannabinoid</u>	<u>Result</u> <u>(%)</u>	<u>Result</u> <u>(mg/mL)</u>	<u>Reporting Limit</u> <u>(mg/mL)</u>	<u>Per Unit</u> <u>(mg)</u>
CBD	3.29	32.9	0.05	986
CBDa	<RL	<RL	0.05	-
CBDv	<RL	<RL	0.05	-
Δ9-THC	<RL	<RL	0.05	-
Δ8-THC	<RL	<RL	0.05	-
THCa	<RL	<RL	0.05	-
CBC	0.0600	0.600	0.05	18.0
CBG	0.0137	0.137	0.05	4.10
CBGa	<RL	<RL	0.05	-
CBN	<RL	<RL	0.05	-
TOTAL	3.36	33.6		1008



TOTAL THC <RL <RL -
TOTAL CBD 3.29 32.9 986 **UNIT VOLUME (mL):** 30.0
Deviations from standard operating procedure: None

Cannabinoid Distribution
(% of Total Cannabinoids)



Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total THC = (THCa x 0.877) + Δ9-THC
 Total CBD = (CBDa x 0.877) + CBD

Percentage results are reported by mass.
 mg/g results are reported as mass component per mass material.

Abbreviations: UV - Ultraviolet, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.
 Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.
 This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.
 The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
 Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
 Kyle W. Felling, Ph.D.
 Laboratory Director