

CERTIFICATE OF ANALYSIS

Order Type: CBD **Customer ID:** 32 **Harvest/Extract Lot:** None
Order ID: OR2019-1133 **Customer Name:** CBD Plus USA **Harvest/Extract Batch:** None


Cultivar (Strain): 25mg ISO /59 Chapstick **Lab ID:** SA2019-4015 **Sample Matrix:** Other
Sample Date: 04/16/2019 **Date Received:** 04/16/2019 **Date Completed:** 04/17/2019

Remarks:

CANNABINOID (POTENCY) PROFILE


Analysis Date/Time: 04/17/2019 0325 **Method:** HPLC/DAD (Internal Method-001) **Moisture Content (%):** -
Analyst: OL **Instrument:** Agilent 1100 **Water Activity (aw):** -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>Reporting Limit (mg/g)</u>	<u>Per Unit (mg)</u>
CBD	0.0416	0.416	0.00901	24.5
CBDa	-	-	0.00901	-
CBDv	-	-	0.00901	-
Δ9-THC	-	-	0.00901	-
Δ8-THC	-	-	0.00901	-
THCa	-	-	0.00901	-
THCv	-	-	0.00901	-
CBC	-	-	0.00901	-
CBG	-	-	0.00901	-
CBGa	-	-	0.00901	-
CBN	-	-	0.00901	-



TOTAL	0.0416	0.416		24.5	UNIT MASS (g): 59
TOTAL THC	-	-		-	"-" Not detected above RL.
TOTAL CBD	0.0416	0.416		24.5	

Cannabinoid Distribution
(% of Total Cannabinoids)



Deviations from standard operating procedure: None

*Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes*

Values for plant matter are adjusted for moisture content.

Total THC = (THCa x 0.877) + Δ9-THC
Total CBD = (CBDa x 0.877) + CBD

Percentage results are reported by mass.
mg/g results are reported as mass component per mass material.

Abbreviations: UV - Ultraviolet, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director