

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

47462-CN

ID	Weight %	Conc.			
D9-THC	ND	ND			
THCV	ND	ND			
CBD	8.96 wt %	84.06 mg/mL			
CBDV	0.06 wt %	0.56 mg/mL			
CBG	0.04 wt %	0.35 mg/mL			
CBC	0.26 wt %	2.48 mg/mL			
CBN	0.06 wt %	0.52 mg/mL			
THCA	ND	ND			
CBDA	ND	ND			
CBGA	ND	ND			
D8-THC	ND	ND			
exo-THC	ND	ND			
Total	9.38 wt%	87.97 mg/mL	0%	Cannabinoids (wt%)	9.0%
Max THC	-	-			
Max CBD	8.96 wt%	84.06 mg/mL			

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LLD)

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

47462-TP

Compound ppm	Quantitative Profile	Compound p	opm	Quantitative Profile
		Humulene		
Sabinene*		P-cymene		
Menthol*		Camphene		
A-phellandrene*		B-pinene		
Myrcene		Eucalyptol		
Isopulegol		A-terpenine		
Nerolidol-cis		3-carene		
G-terpenine		A-pinene		
Nerolidol-trans		Limonene		
A-bisabolol 5		Geraniol		
Linalool		Ocimene-2		
B-caryophyllene		Ocimene-1		
Caryophyllene Oxide		Terpinolene		
Guaiol				
ppm 0.00 Total Terpene: <0.1 wt%	5.00 10.00)	0.00	5.00 10.00

* Indicates semi-qualitative calculation based on recorded peak areas.

END OF REPORT