


FG-00-1003-COCU-0019

Batch ID:	142107-S1	Test ID:	9516020.004
Reported:	5-Aug-2020	Method:	ТМ14
Туре:	2,500mg FSH 30mL MCT Oil Tropical		
Test:	Potency		

CANNABINOID PROFILE



Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A) 5.21	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	2.60	45.20	1.6
Cannabidiolic acid (CBDA)	8.47	ND	ND
Cannabidiol (CBD)	4.73	2667.80	95.3
Delta 8-Tetrahydrocannabinol (Delta 8THC)	2.85	ND	ND
Cannabinolic Acid (CBNA)	7.14	ND	ND
Cannabinol (CBN)	3.16	3.30	0.1
Cannabigerolic acid (CBGA)	4.55	ND	ND
Cannabigerol (CBG)	2.56	26.10	0.9
Tetrahydrocannabivarinic Acid (THCVA)	4.47	ND	ND
Tetrahydrocannabivarin (THCV)	2.32	ND	ND
Cannabidivarinic Acid (CBDVA)	7.87	ND	ND
Cannabidivarin (CBDV)	4.31	11.40	0.4
Cannabichromenic Acid (CBCA)	3.90	ND	ND
Cannabichromene (CBC)	4.70	59.40	2.1
Total Cannabinoids		2813.20	100.47
Total Potential THC**		45.20	1.61
Total Potential CBD**		2667.80	95.28

Greg Zimpfer

5-Aug-2020

5:38 PM

NOTES:

N/A

of Servings = 1, Sample Weight=28g

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Totel Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Totel THC = THC + (THCa *(0.877)) and Total CBD = CBD + (CBDa

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

Daniel Istant

PREPARED BY / DATE

Daniel Weidensaul 5-Aug-2020 3:59 PM



APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02

