

Drink Pouch -Blackberry Fuego Sample Matrix: CBD/HEMP Beverages/Liquid/Water (Ingestion)

721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com **DEA No.** RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

Certificate of Analysis

Compliance Test

Client Information:

SAYLOR MANUFACTURING

117 PARKVIEW CIRCLE **PINEY FLATS, TN 37665**

Order # SAY240527-200001 Order Date: 2024-05-27

Batch # TUBFP-001 Batch Date: 2024-05-23 Extracted From: Hemp

55.890

0.005589

Test Reg State: Oregon

Volume: 147.868 ml

Sampling Date: 2024-05-30 Lab Batch Date: 2024-05-30 Sample # AAFP735





Product I mage									
Delta 8/Delta 10 Potency 13 - (LCUV)				Tested Potency Summary					
Specimen Weight: 20000.000 mg				SOP13.052 (LCMS)		Total Delta 8		Total Delta 10	
Analyte	LOD (%)	LOQ (%)	Result (µg/ml)		` ′	0.01401%	20.716mg	-	ND
Delta-8 THC	2.60E-5	0.0015	140.100	0.01401		Total Active THC		Total Active CBD	
Delta-9 THC	1.30E-5	0.0015	55.890	0.005589		0.005589%	8.264mg	0.000102%	0.151mg
CBN	1.40E-5	0.0015	1.409	0.000141		Tabalo	NDO	T-4-1 (2DM
CBD	5.40E-5	0.0015	1.018	0.000102		Total CBG		Total (
CBC	1.80E-5	0.0015	<loq< td=""><td><loq< td=""><td></td><td>(-</td><td>ND</td><td>0.000141%</td><td>0.208mg</td></loq<></td></loq<>	<loq< td=""><td></td><td>(-</td><td>ND</td><td>0.000141%</td><td>0.208mg</td></loq<>		(-	ND	0.000141%	0.208mg
CBDA	1.00E-5	0.0015	<loq< td=""><td><l0q< td=""><td></td><td colspan="2">Total Cannabinoids</td><td colspan="2">Total DELTA-9-THC</td></l0q<></td></loq<>	<l0q< td=""><td></td><td colspan="2">Total Cannabinoids</td><td colspan="2">Total DELTA-9-THC</td></l0q<>		Total Cannabinoids		Total DELTA-9-THC	
CBDV	6.50E-5	0.0015	<loq< td=""><td><loq< td=""><td></td><td></td><td>29.340mg</td><td></td><td></td></loq<></td></loq<>	<loq< td=""><td></td><td></td><td>29.340mg</td><td></td><td></td></loq<>			29.340mg		
CBG	2.48E-4	0.0015	<loq< td=""><td><l0q< td=""><td></td><td>0.019842%</td><td>29.340mg</td><td>0.00559%</td><td>8.266mg</td></l0q<></td></loq<>	<l0q< td=""><td></td><td>0.019842%</td><td>29.340mg</td><td>0.00559%</td><td>8.266mg</td></l0q<>		0.019842%	29.340mg	0.00559%	8.266mg
CBGA	8.00E-5	0.0015	<l0q< td=""><td><l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<>					
Delta-10 THC	3.00E-6	0.0015	<loq< td=""><td><l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<></td></loq<>	<l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<>					
Delta6a10a-THC	8.47E-5	0.0015	<loq< td=""><td><l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<></td></loq<>	<l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<>					
THCA-A	3.20E-5	0.0015	<loq< td=""><td><l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<></td></loq<>	<l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<>					
THCV	7.00E-6	0.0015	<loq< td=""><td><l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<></td></loq<>	<l0q< td=""><td></td><td></td><td></td><td></td><td></td></l0q<>					
Total Active CBD			1.018	0.000102					

in = Lab Director/Principal Scientist



Total Active THC





Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THC-Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (pb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Milligram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/kg) = Milligram per Kliogram. ACS uses simple acceptance criteria. Passed — Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0400. Failed — Analyte/microbe is at the level below the action limit per OR rule OAR 333-007-0400. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

D.H.Sc., M.Sc., B.Sc., MT (AAB)